



IIIT BANGALORE

No: MIIT/41/17

Date: 12th May 2017

Amendment-I

Subject: Supply, Installation, testing & commissioning and on-site support for setting up classroom equipment

IIIT Bangalore on be-half of Ministry of External Affairs (MEA) invited sealed tenders for Supply, installation, testing & commissioning and on-site support for setting up of Classroom **Equipment** for Myanmar Institute of Information and Technology (MIIT) at Mandalay in Myanmar on turnkey basis vide IIIT-B MIIT/37/17 dated 12th April 2017.

2.The following amendments are made in the above mentioned tender document

<i>Name of Work</i>	<i>EMD</i>	<i>Last date bid submission</i>	<i>Date opening of bids</i>
Supply, Installation, testing & commissioning and on-site support of classroom equipment	Rs 19.2 Lac	24 th May 2017 at 1300 hours	24 th May 2017 at 1400 hours

3.The clarifications/responses to the queries listed in the pre-bid meeting are mentioned Annexure I of this amendment.

4. All other terms and conditions remain same.

Registrar IIIT-Bangalore

Annexure I

International Institute of Information Technology (MIIT Mentoring Cell)

Tender Reference:- MIIT/37/17 for supply, installation, testing & commissioning and on-site support of classroom equipment for Myanmar Institute of Information and Technology (MIIT) at Mandalay in Myanmar on turnkey basis.

Following clarifications are issued in response to the queries received from Prospective bidders:

Sl no	Tender Technical Queries	Bidders Response	Clarifications/Corrigenda/Amendment
01	Page 4 & 5, Section I: Invitation for Bids (IFB) Clause 2 (h) Only the authorised distributors/ resellers are allowed to bid for the items mentioned in the tender document. The specific authorisation letter from Principal/s clearly indicating that the bidder is competent to sell & provide services for the items mentioned in the Scope of Supply given in this tender document should be enclosed.	Yes , its important to have bids allowed only from authorised resellers and specific MAF from OEM to ensure supply of genuine products and after sale support. However IIITB may allow & consider MAF for only the major hardware components of the projects viz Video Conferencing Equipment, Interactive touch screens, Speakers, Presentation Switchers, Amplifier & Microphone, Matrix Switchers, Projection Screens Projectors & Displays.	The change is accepted. MAF would be required for the following: <ul style="list-style-type: none"> • Video Conferencing Equipment, • Interactive touch screens, • Speakers, • Presentation Switchers, • Amplifier & Microphone, • Matrix Switchers, • Projection Screens Projectors • Displays MAF would not be required for consumables/accessories like cables etc.
02	Page 5, Section I: Invitation for Bids (IFB) Clause 2 (i) The copy of Supply Orders/ Contracts/ Agreements issued by/ signed with Government of India (Ministry/ Department/ Undertaking/ PSU/ Educational Institutions such as IITs, NITs, or other such Central Universities/ Autonomous Body) for similar work, executed by the bidders in last five years ending December 31st 2016. The bidder should enclose the completion certificate duly issued by the end user. The bidder should have completed at least ONE similar work not less than Rs. 3.07 Crore OR TWO similar works not less than Rs. 1.91 Crore OR THREE similar works not less than Rs. 1.53 Crore. The similar work means supply & installation & on-site support of all/ most of the items mentioned in this tender document in a single project on turn-key basis in India/ abroad.	Kindly allow IT Infrastructure projects Purchase orders which comprise of networking , Video conferencing , IT hardware, packaged softwares etc . Also the ISO certificate asked is for IT infrastructure days .	The tender terms and conditions clearly state that the bidder needs to submit a copy of similar work orders which are similar to the specifications mentioned in the tender document
03	Page 7, Clause 1 Section II: Instruction to Bidders	Kindly allow Delivery Period / Project Timelines as The delivery and installation at site(s) must be completed	The change is accepted. The revised delivery timeline is now 140 days.

		within 165 days from the date of placement of supply order by IIIT Bangalore.	
04	<p>Page 7, Clause 1</p> <p>Section II: Instruction to Bidders Delivery Period / Project Timelines The delivery and installation at site(s) must be completed within 120 days from the date of placement of supply order by IIIT Bangalore.</p>	Please confirm if all the sites are in same premises since IIIT have mentioned delivery and installation at site(s).	The tender document clearly specifies the location for installation, set up and commission as MIIT Mandalay. That is the only site that needs to be catered to.
05	<p>Page 8, Clause 6.2</p> <p>Section II: Instruction to Bidders Bids submitted without EMD will stand rejected. EMD will not be accepted in the form of cash/ cheque/ FDR or any other form except DD or BG. No interest shall be payable on EMD. The bidders registered with NSIC / MSME may claim exemption from submission from EMD. In this case bidder should submit a copy of valid NSIC/MSME registration certificate along with the technical bid. If bidder submits NSIC/MSME certificate in lieu of EMD then its technical competence to participate in the tender would be ascertained</p>	NSIC/MSME exemption is valid only for services and the products manufactured by registered company with NSIC / MSME and not for traded/desired state of the art products as per the tender requirement. OEM for all these companies are large MNC who do not qualify as MSME	No change.
06	<p>Page 14, Clause 7</p> <p>Section III: Special Conditions OF Contract Payments: i. IIIT Bangalore shall release 70% of the payment on delivery of the tendered items at MIIT and certification by MIIT/Indian Mission in Myanmar; ii. Payment of 30% of the purchase order value will be made after the satisfactory successful installation and commissioning of the tendered items on certification by MIIT/ Indian Mission in Myanmar. iii. In case of foreign bidders who quoted in US \$, letter of credit(LC) will be opened and payment would be released as per 7(i), 7(ii) and 7(iii).</p>	<p>i. IIIT Bangalore shall release 80% of the payment on dispatch of the tendered items against submission of Invoice, Packing List, Copy of Insurance & Chartered Engineer Certificate in original to IIIT Bangalore. ii. Balance Payment of 20% of the purchase order value will be made after the satisfactory successful installation and commissioning of the tendered items on certification by MIIT/ Indian Mission in Myanmar. iii. In case of foreign bidders who quoted in US \$, letter of credit(LC) will be opened and payment would be released as per 7(1), 7(2) and 7(3).</p>	No change.

07	<p>Page No 20, 23, 44, 56-57, 67-68 & 79</p> <p>Section IV: Schedule of requirement. Refer item no 2.3 on page no 20, item 2.5 on page 30, item 1.2 on Page 44, item 2.5 on page 56 - 57, item 9 on page 67 - 68 and item 6 on page 79.</p> <p>21.5" Interactive monitor specifications</p>	<p>Since in the specifications its mentioned Electromagnetic Resonance Technology , it would need battery less pen. Kindly add</p>	<p>The change is accepted. Multitouch Capability with battery free touch pen to be supplied</p>
08	<p>21.5" Interactive monitor: Multi-touch support n/a;</p>	<p>We request you to kindly delete N/A since you have asked Interactive Monitor, which means that it should have Multi touch capability and to interactive through cordless pen or battery free touch pen as you have asked for Electromagnetic Resonance technology in said monitor.</p>	<p>The change is accepted. Supply with Multitouch Capability with battery free touch pen</p>
09	<p>Page no 4, S No 2 h</p> <p>Setion 1, Invitation for Bids(IFB)</p> <p>Only the authorised distributors/ resellers are allowed to bid for the items mentioned in the tender document. The specific authorisation letter from Principal/s clearly indicating that the bidder is competent to sell & provide Tender Document for Supply Class Room Equipment on turn-key basis for Myanmar Institute of Information Technology (MIIT) at Mandalay, Myanmar 5 of 91 services for the items mentioned in the Scope of Supply given in this tender document should be enclosed.</p>	<p>Kindly clarify for what all line items specific authorization is required as MAF will not be possible for minor items such as speakers cables, USB cables, Two input and four output USB Switches, video cables , High definition cables, AV racks, connectors, patch cords, wall plates, wall mount kit.</p>	<p>Query already answered in S.No#1 above.</p>
10	<p>Page no 4, S No 2 e</p> <p>Setion 1, Invitation for Bids(IFB)</p> <p>A certificate by the auditor/ CA/ CS indicating the turnover of the firm should be enclosed. The bidder should have minimum average turnover of Rs 1.15 Crores in last three financial years.</p>	<p>Minimum average audited turnover ending of the 1st March 2016 of the bidder should be 10 CR</p>	<p>No change. This is as per the well established CVC and GFR guidelines.</p>
11	<p>Page no 5, S No 2 f i</p> <p>Setion 1, Invitation for Bids(IFB)</p> <p>The copy of Supply Orders/ Contracts/ Agreements issued by/ signed with Government of India (Ministry/ Department/ Undertaking/ PSU/ Educational</p>	<p>Kindly confirm if turnkey IT Supply/orders/contract/agreements with completion certification as desired</p>	<p>The tender terms and conditions clearly state that the bidder needs to submit a copy of similar work orders which are similar to the specifications mentioned in the tender document</p>

	Institutions such as IITs, NITs, or other such Central Universities/ Autonomous Body) for similar work, executed by the bidders in last five years ending December 31st 2016. The bidder should enclose the completion certificate duly issued by the end user. The bidder should have completed at least ONE similar work not less than Rs. 3.07 Crore OR TWO similar works not less than Rs. 1.91 Crore OR THREE similar works not less than Rs. 1.53 Crore. The similar work means supply & installation & on-site support of all/ most of the items mentioned in this tender document in a single project on turn-key basis in India/ abroad.		
12	Section IV (Schedule of Requirement) Page No 20,23,44,56,57,67,68&79 Item 21.5" Interactive monitor	You have not asked for battery free touch pen for 21.5" interactive monitor. Please clarify if battery free touch pen is required	Change is accepted. Battery Free pen is required.
13	SECTION I: INVITATION FOR BIDS (IFB) Page no: 4, clause 2e A certificate by the auditor/ CA/ CS indicating the turnover of the firm should be enclosed. The bidder should have minimum average turnover of Rs 1.15 Crores in last three financial years.	From the BOQ and basis the EMD which is required to be submitted of value 19.2 lakhs this project seems to be very big . However the turnover asked for qualification is just 1.15 crore. For such a project to be executed the bidders should also have some standing in the market and turnover of atleast 5-10 cr	No change.
14	SECTION I: INVITATION FOR BIDS (IFB) Page no: 4, clause 2h Only the authorised distributors/ resellers are allowed to bid for the items mentioned in the tender document. The specific authorisation letter from Principal/s clearly indicating that the bidder is competent to sell & provide services for the items mentioned in the Scope of Supply given in this tender document should be enclosed.	Please exempt bidders from submitting the Manufacturing Authorization for third party items such as Speaker cables, microphone cables, control cables, USB cables , other cables, input & output USB switchers, Audio Video racks, patch cords, wall plates, connectors, mounting kits.	Query already answered in S.No#1 above
15	SECTION II: INSTRUCTIONS TO BIDDERS (ITB) Page 7, clause 1 Delivery Period / Project Timelines The delivery and installation at site(s) must be completed within 120 days	This is a complex integration project. Hence it is requested that 180 days for the delivery & installation at Site(S). Also please confirm how many sites are there in total at Myanmar.	The change is accepted. The revised delivery timeline is now 140 days.

	from the date of placement of supply order by IIIT Bangalore.		
16	<p>SECTION III: SPECIAL CONDITIONS OF CONTRACT (SCC)</p> <p>Page no 13, clause 2.1</p> <p>Taxes and Duties: Clause 2.1. The prices quoted should be inclusive of all taxes and /or duties except customs duty. The items being imported into Myanmar for this project will be exempted from payment of customs duty. Necessary Custom Duty Exemption Certificate shall be provided by Government of Myanmar. The Indian Mission in Myanmar will facilitate in obtaining the custom duty exemption certificate.</p>	<p>We would like to bring it to the pre-bid committee that we have experienced huge demurrages charges because of unforeseen delay in custom clearance at destination country and also because there was a loss of equipment at customs of destination country because of delay in custom clearance. Therefore we very humbly request you to amend this clause by adding that any unforeseen additional charges which is not due to supplier /bidder fault should be borne by either the purchaser or the user at destination country</p>	No change.
17	<p>SECTION III: SPECIAL CONDITIONS OF CONTRACT (SCC)</p> <p>Page no14, clause 6</p> <p>Warranty: All the items covered in the schedule of requirements, shall carry minimum 3 (Three) years on site comprehensive warranty from the date of its installation& commissioning.</p>	<p>Please note that items such as Cables, Power cables, adaptors, projection Lamp, chargers, connectors, AV racks etc are consumables and hence will not be covered under warranty as per industry standards .</p>	<p>Warranty coverage required for all items for which MAF is required.</p> <p>Further the duration of the warranty has been revised to 1 (one) years on site comprehensive warranty from the date of its installation& commissioning.</p>

18	<p>SECTION III: SPECIAL CONDITIONS OF CONTRACT (SCC) Page 14, clause 7</p> <p>Payments: i. IIIT Bangalore shall release 70% of the payment on delivery of the tendered items at MIIT and certification by MIIT/Indian Mission in Myanmar; ii. Payment of 30% of the purchase order value will be made after the satisfactory successful installation and commissioning of the tendered items on certification by MIIT/ Indian Mission in Myanmar. iii. In case of foreign bidders who quoted in US \$, letter of credit(LC) will be opened and payment would be released as per 7(i), 7(ii) and 7(iii)</p>	As per industry norm we do not get credit of more than 30 days. 70% payment against delivery would mean that our payment realization cycle would be 4-5 months. We request to make it atleast 70% against dispatch.	No Change
19	<p>SECTION I: INVITATION FOR BIDS (IFB) Page No 4 and 5 2 (h) Only the authorised distributors/ resellers are allowed to bid for the items mentioned in the tender document. The specific authorisation letter from Principal/s clearly indicating that the bidder is competent to sell & provide services for the items mentioned in the Scope of Supply given in this tender document should be enclosed.</p>	We request you to consider MAF for key items of the project such as Interactive touch monitor, Video Conference System, Projection Screens, Speaker, Amplifier and Microphones, Matrix switcher, Presentation switcher, DSP, Display screens and Projectors.	Query already answered in S.No#1 above
20	<p>SECTION I: INVITATION FOR BIDS (IFB) Page No 5 2 (m) Undertaking to the effect that a Performance Bank Guarantee (PBG) of 10% of the order value will be submitted within 15 (fifteen) days of the receipt of Supply Order from IIIT Bangalore</p>	We request you to kindly consider change as – Undertaking to the effect that a Performance Bank Guarantee (PBG) of 10% of the order value will be submitted within 20 (twenty five) days of the receipt of Supply Order/amendment (if any) from IIIT Bangalore.	No change.
21	<p>SECTION I: INVITATION FOR BIDS (IFB) Page No 5 2 (i) The copy of Supply Orders/ Contracts/ Agreements issued by/ signed with Government of India (Ministry/ Department/</p>	Kindly allow IT Infrastructure projects Purchase orders which comprise of networking, Video conferencing , IT hardware, packaged software etc . Also the ISO certificate asked is for IT infrastructure	The tender terms and conditions clearly state that the bidder needs to submit a copy of similar work orders which are similar to the specifications mentioned in the tender document

	<p>Undertaking/ PSU/ Educational Institutions such as IIT's, NIT's, or other such Central Universities/ Autonomous Body) for similar work, executed by the bidders in last five years ending December 31st 2016. The bidder should enclose the completion certificate duly issued by the end user. The bidder should have completed at least ONE similar work not less than Rs. 3.07 Crore OR TWO similar works not less than Rs. 1.91 Crore OR THREE similar works not less than Rs. 1.53 crore</p>		
22	<p>SECTION I: INVITATION FOR BIDS (IFB) Page No 5 2 (i)</p> <p>The copy of Supply Orders / Contracts / Agreements issued by / signed with Government of India (Ministry /Department / Undertaking / PSU / Educational Institutions such as IIT's, NIT's, or other such Central Universities/ Autonomous Body) for similar work, executed by the bidders in last five years ending December 31st 2016. The bidder should enclose the completion certificate duly issued by the end user. The bidder should have completed at least ONE similar work not less than Rs. 3.07 Crore OR TWO similar works not less than Rs. 1.91 Crore OR THREE similar works not less than Rs. 1.53 Crore. The similar work means supply & installation & on-site support of all/ most of the items mentioned in this tender document in a single project on turn-key basis in India/ abroad.</p>	<p>The project involves setting up of class room Labs . Experience of orders in which ICT labs for teaching involving integration of LAN/WAN , VC , Public address systems , data centre with access control and camera etc should be accepted . Please find enclosed order copies which we have picked up in recent years. kindly confirm if these would qualify as valid experience.</p>	<p>The tender terms and conditions clearly state that the bidder needs to submit a copy of similar work orders which are similar to the specifications mentioned in the tender document</p>
23	<p>SECTION II: INSTRUCTIONS TO BIDDERS (ITB) Page No 7 clause 1</p> <p>Delivery Period / Project Timelines The delivery and installation at site(s) must be completed within 120 days from the date of placement of supply order by IIIT Bangalore.</p>	<p>As the process involve sourcing, packaging, vessel planning, Preparation of Invoicing, packing list, Custom clearance in country of dispatch and there after transit period to main site and after the custom clearance formalities in Myanmar (totally depending on process & procedures in Myanmar) will involve lots of time consuming ctivities/action on ground, therefore IIIT is requested to kindly consider the following change against the mentioned Section II & Clause No 1 on page 7 under Delivery Period / Project timelines i.e. The delivery and</p>	<p>The query is already answered in S.No#15 above.</p>

		installation at site(s) must be completed within 180 days from the date of placement of supply order by IIIT Bangalore on a safer side as 120 days is too short period for setting up this kind of infrastructure	
24	<p>SECTION III: SPECIAL CONDITIONS OF CONTRACT (SCC) Page No 13 clause 2</p> <p>Taxes and Duties: 2.1. The prices quoted should be inclusive of all taxes and /or duties except customs duty. The items being imported into Myanmar for this project will be exempted from payment of customs duty. Necessary Custom Duty Exemption Certificate shall be provided by Government of Myanmar. The Indian Mission in Myanmar will facilitate in obtaining the custom duty exemption certificate.</p>	By the time this tender is decided, GST may get implemented. We therefor request that keen BIDDERS should be allowed to quote taxes separately.	The change is accepted. The revised commercial schedule is outlined in Annexure I at the end of this document
25	<p>Section IV (Schedule of requirement) Page no 20 (2.3), Page 30 (2.5), Page, 44 (1.2), Page 56-57 (2.5), Page 67-68 (9), Page 79 (6)</p> <p>Refer - 21.5" Interactive monitor specification: Multitouch support n/a;</p>	Kindly delete n/a.	Change is accepted. N/a has been removed
26	<p>Section IV (Schedule of requirement) Page 20 (2.3), Page 30 (2.5), Page, 44 (1.2), Page 56-57 (2.5), Page 67-68 (9), Page 79 (6)</p> <p>Refer - 21.5" Interactive monitor specification</p>	<p>Interactive Pen is missing from the monitors, we therefore request you to kindly add Battery Free Pen for the following reasons:</p> <ol style="list-style-type: none"> 1. It will be easy for writing comments on Interactive Monitor Screen by Faculty 2. Highlighting content (if any) displayed on Interactive Monitor screen by faculty member for better understanding of students. 	The change is accepted. Multitouch Capability with battery free touch pen to be supplied
27	Technical section	Please share complete BOQ including no of unit of supply in each rooms	Specification is provided each size of the classroom seater, so Please quote as per the list provided for each classroom and just multiply with no of

			classrooms.
28		Please share layout drawing to understand the cable & design requirements.	The bidder is expected to perform due diligence include site survey prior to submitted the bid.
29		Is equivalent makes accepted within the approved brands in the BOQ	The tender does not specify any brand. The bidder is free to quote for any brand they so desire. The technical evaluation committee will review the technical compliance
30		Please mention dimensions of TUTOR Desk	1200 W*750 D*1080 H all in MM
31		Kindly mention the number of inputs in each room & type of signal inputs considered	Specification is provided each size of the classroom seater, so Please quote as per the list provided for each classroom and just multiply with no of classrooms.
32		Kindly mention the rack location of each individual rooms in the drawing or distance between rack and display units-(projector or Display)	Query Already answered in S.No#30 above
33		Kindly mention the dimensions of each room in case of failing to share the drawings	120 Seater Room – 16m X 16m 60 Seater Room – 16m X 8m 80 Seater Room – 19.4m X 8m 30 Seater – 8m X 8m
34		Is deviation in recommendation is accepted unless the solution meets the requirement	The technical specifications are provided and those need to be met in order to be technically compliant
35	Commercial section	Please give us more input on the tax. (As custom exemption is undertaken by University, we understand there will be no implication of sales tax) How service tax gets initiated. As mentioned in the statement	We would not be able to comment about Indian taxes and its implications for the bidder. The bidders would have to discuss this with their respective finance team. As part of the MIIT Project, Custom Duty would be exempted.
36		"The taxes & duties considered in this quote are based on the current structure announced by the Central and State Government. The same shall be charged at prevailing rate at the time of billing of goods & services. Any variation in the taxes & duties due to changes announced by the Central and State Governments including roll-out of GST (Goods & Services Tax) shall be to Customer account Looking at scope of project and execution, there is 100% probability of GST getting implied. Hence, we need better understanding on the tax.	Query already answered in S.No#24 above
	Technical Specifications Page 18 and 19, clause 2.1	Why only LCD ? Why not DLP ? DLP is advanced technology	No Change. The specifications have been arrived at to ensure maximum participation, and also keeping in mind that the support and supply

37			needs to happen in Myanmar.
		The specification looks like specific to a particular brand and not common	No Change. The specifications have been arrived at to ensure maximum participation, and also keeping in mind that the support and supply needs to happen in Myanmar..
		Why can't the throw ratio be 0.35:1 and better , which is goal standard for an ultra-short throw	No Change. The specifications are as per our design requirements
		Why many USB , USB Type A (power) & USB Type B (Service) is standard across all brands. As the projector will be mounted on the wall above the screen , using USB ports will be difficult and the alignment will be disturbed when it's shake	Query is not clear
		Stereo mini jack (3x) , why 3 port is required ? 1 is sufficient	No Change. The specifications are as per our design requirements
		RJ45 – Will the data be transfer thru the network for the presentation ? Is it a must or is it for control	This is for control as well as for making multipoint presentations is required in future
		When wireless is optional , why is that other features are required on wireless	No Change
		Is Document Camera Compatible a must	No Change
38	Technical Specifications Page 18 and 19, clause 2.2	Why only LCD ? Why not DLP ? DLP is advanced technology	Query already answered earlier in the document
		The specification looks like specific to a particular brand and not common	Query already answered earlier in the document
		Zoom ratio can start with 1.5x and better	No Change
		Is Display port required	No Change
		RJ45 – Will the data be transfer thru the network for the presentation ? Is it a must or is it for control.	Query already answered earlier in the document
		Is all user friendly features required.	No Change

39	Operational	Transaction methodology – tax structure clarity need (we prefer to export the goods from India / Singapore)	The query is not clear
		Vendor local presence is mandatory, either by their own or through their dealer. However detailed post installation support methodology to be defined clearly while submitting the bid	The query is not clear
		Is ISO certification is mandatory for the System Integrator	No change to the terms and conditions. The T&C have made clear statement on the ISO Certifications
		If the sub-contractor has ISO certification, will that is ok	
		Warranty will be 3 years for all AV Equipments – request to re-confirm	Query answered in S.No. 17 above.
		MIIT will provide the storage space, securing the materials will be taken care by the vendor	Yes MIIT will provide storage space
		If there is a delay in customs clearance due to some required docs from the institute – will the execution time will be compensated to this extent	Yes the same will be accounted for
		Project completion date will be increased to 180 days from 120 days as mentioned in the bid – request to re-confirm	The query is already answered else where in the document
		PBG submission will be extended from 15 to between 20 to 30 days – request to re-confirm	No Change

Annexure II - Commercial Price Schedule

Sl no	Description	Quantity	Rate(INR/USD)	Amount
		(X)	(A)	(Y= A *X)
1	120 seats Classroom	4		
2	120 seats Classroom with 3 projectors / multipoint VC / recording	1		
3	20 seat Boardroom with VC	2		
4	60 seats room	4		
5	30 seats Lab	6		
6	80 seats Lab	2		
7	Projectors & Screen	8		
	TOTAL (INR/USD)			
	DISCOUNT (INR/USD)			
	NET TOTAL (INR/USD)			

Total Amount (In Words) :

Note

1. Do not quote optional items against the requirement mentioned in this tender.
2. The price quoted above should not be inclusive of any taxes/levies. Taxes/levies if any must be mentioned separately along with the price bid. IIIT-Bangalore shall reimburse for these taxes/levies based on submission of relevant documents including registration certificates at each payment stage.
3. Discount (if any) to be offered should be mentioned against in the respective cell provided above. In case it is mentioned elsewhere it will not be considered for the purpose of price comparison.
4. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
5. The bidder must quote for all the items mentioned under Section IV – Schedule of Requirement. The lowest price criteria shall be applied on the total composite amount of all items taken together.