

Q (GEM)/CNS/862/20/2017
Ministry of External Affairs
(Global Estate Management Division)

Corrigendum No. 8

Subject: Work regarding Design, Supply & Erection of 4-storied Prefab building structure/s for Residences and Barracks for the Embassy of India, Kabul, Afghanistan

Reference: Tender ID 2017_PD_249729_1 at CPP Portal and Corrigendum No. 6 dated 30 November 2017

Following tender conditions may be further amended as under:

S. No.	Document No.	Page No.	Para	Amended Clause									
1.	Document V Design Brief, Architectural Drawings & Brief Specifications	32	5 (g)	“One elevator <u>in Residential Block only</u> of the buildings be provisional in the space shown in Architectural Drawings 2.30x1.80 M to carry a capacity of 6 Passengers at 408 kg. Elevator proposed should confirm the international specifications and codes and shall have an in built Comprehensive Annual Maintenance Contract (AMC) for two years after commissioning of the Elevator. Inspection, Commissioning and testing would be organized by the bidders from the Original Equipment Manufacturer (OEM) of the lifts.									
2.	Document V Design Brief, Architectural Drawings & Brief Specifications	40	S. No. 8 Electrical Items	<table><tr><td colspan="3">Add the following below Lighting Fixtures:</td></tr><tr><td>S. No.</td><td>Space Description</td><td>Specifications</td></tr><tr><td></td><td>Elevator (One in Residential Block)</td><td>The Elevators of a capacity of 6 Passengers/ 408 kg of a reputed brand. Prior</td></tr></table>	Add the following below Lighting Fixtures:			S. No.	Space Description	Specifications		Elevator (One in Residential Block)	The Elevators of a capacity of 6 Passengers/ 408 kg of a reputed brand. Prior
Add the following below Lighting Fixtures:													
S. No.	Space Description	Specifications											
	Elevator (One in Residential Block)	The Elevators of a capacity of 6 Passengers/ 408 kg of a reputed brand. Prior											

S. No.	Document No.	Page No.	Para	Amended Clause		
						approval of the brand to be taken from the Employer before installation

2. The above amended tender conditions are in supersession to the respective amended Tender Conditions issued vide Corrigendum No. 6 dated 30 November 2017.

Rest of the conditions of the above tender may remain unchanged.



(SHIV SAGAR)

Under Secretary (GEM-1)

04 December 2017